## **Amendments to the Claims**

1. (Currently amended) An organic electroluminescent device which is sandwiched between an anode and a cathode and which comprises at least a hole transport layer, an emission layer and an electron transport layer, wherein the emission layer comprises an anthracene derivative represented by Formula (1) shown below as a host and at least one member selected from a perylene derivative, a borane derivative, a coumarin derivative, a pyran derivative, an iridium complex and a platinum complex as a dopant: dopant, and the electron transport layer comprises a pyridine derivative,

wherein R¹ to R⁴ are independently hydrogen or alkyl having 1 to 12 carbon atoms, and optional –CH₂- in the above alkyl having 1 to 12 carbon atoms may be replaced by –O-; R⁵ to R¹¹ are independently hydrogen, alkyl having 1 to 12 carbon atoms, cycloalkyl having 3 to 12 carbon atoms or aryl having 6 to 12 carbon atoms, wherein optional –CH₂- in the above alkyl having 1 to 12 carbon atoms may be replaced by –O- or arylene having 6 to 12 carbon atoms; optional hydrogens in the above-cycloalkyl having 3 to 12 carbon atoms may be replaced by alkyl having 1 to 12 carbon atoms or aryl having 6 to 12 carbon atoms; and optional hydrogens in the above aryl having 6 to 12 carbon atoms may be replaced by alkyl having 1 to 12 carbon atoms, cycloalkyl having 3 to 12 carbon atoms, aryl having 6 to 12 carbon atoms or non-condensed aryl having 12 to 18 carbon atoms; and X is one-selected from the group of groups represented by Formulas (2-1) to (2-15) shown below:

where in Formulas (2-1) to (2-15), R<sup>12</sup> is independently the same as that represented by R<sup>1</sup> to R<sup>4</sup> in Formula (1); and Ar is independently non-condensed aryl represented by Formula (3):

wherein n is an integer of 0 to 5; R<sup>13</sup> to R<sup>21</sup> are independently hydrogen, alkyl having 1 to 12 carbon atoms or aryl having 6 to 12 carbon atoms; optional –CH<sub>2</sub>- in the above alkyl having 1 to 12 carbon atoms may be replaced by –O-, and optional hydrogens in the above aryl having 6 to 12 carbon atoms may be replaced by alkyl having 1 to 12 carbon atoms, cycloalkyl having 3 to 12 carbon atoms or aryl having 6 to 12 carbon atoms.

- 2. (Currently amended) The organic electroluminescent device as described in claim 1, wherein the emission layer comprises as a host, the anthracene derivative in which R<sup>1</sup> to R<sup>4</sup> in Formula (1) are independently hydrogen, methyl or t-butyl; R<sup>5</sup> to R<sup>11</sup> are independently hydrogen, methyl, t-butyl, phenyl, 1-naphthyl, 2-naphthyl, 4-t-butylphenyl or m-terphenyl-5'-yl; X is one-selected from the group of the groups represented by Formulas (2-1) to (2-15); and in Formulas (2-1) to (2-15), R<sup>12</sup> is independently hydrogen, methyl or t-butyl.
- 3. (Currently amended) The organic electroluminescent device as described in claim 1, wherein the emission layer comprises as a host, the anthracene derivative in which R<sup>1</sup> to R<sup>4</sup> in Formula (1) are hydrogen; R<sup>5</sup> to R<sup>11</sup> are independently hydrogen, phenyl, 1-naphthyl, 2-naphthyl or m-terphenyl-5'-yl; X is one-selected from the group of the groups represented by Formulas (2-1) to (2-15); and in Formulas (2-1) to (2-15), R<sup>12</sup> is hydrogen.
- 4. (Currently amended) The organic electroluminescent device as described in claim 1, wherein the emission layer comprises as a host, the anthracene derivative in which R<sup>1</sup> to R<sup>4</sup> in Formula (1) are hydrogen; R<sup>5</sup> to R<sup>11</sup> are independently hydrogen, phenyl, 1-naphthyl, 2-naphthyl or m-terphenyl-5'-yl; and X is one-selected from the group of the groups represented by Formulas (2-1), (2-2), (2-4) to (2-6) and (2-10) shown below:

where in Formulas (2-1), (2-2), (2-4) to (2-6) and (2-10), R<sup>12</sup> is hydrogen; and Ar is independently one-selected from the group of groups represented by Formulas (4-1) to (4-16) shown below:

5. (Currently amended) The organic electroluminescent device as described in claim 1, wherein the emission layer comprises as a host, the anthracene derivative in which R<sup>1</sup> to R<sup>4</sup> in Formula (1) are hydrogen; R<sup>5</sup> to R<sup>11</sup> are independently hydrogen, phenyl, 1-naphthyl, 2-naphthyl or m-terphenyl-5'-yl; and X is one-selected from the group of the groups represented by Formulas (2-1), (2-2), (2-4) to (2-6) and (2-10) shown below:

where in Formulas (2-1), (2-2), (2-4) to (2-6) and (2-10), R<sup>12</sup> is hydrogen; and Ar is independently one-selected from the group of groups represented by Formulas (4-1) to (4-10) and (4-14) to (4-16) shown below:

$$(4-1) \qquad (4-2) \qquad (4-3) \qquad (4-4)$$

$$(4-4) \qquad (4-5) \qquad (4-6) \qquad (4-7) \qquad (4-8)$$

$$(4-9) \qquad (4-10) \qquad (4-16)$$

6. (Currently amended) The organic electroluminescent device as described in claim 1, wherein the emission layer comprises as a host, the anthracene derivative in which R<sup>1</sup> to R<sup>4</sup> in Formula (1) are hydrogen; R<sup>5</sup> to R<sup>11</sup> are independently hydrogen, phenyl, 1-naphthyl, 2-naphthyl or m-terphenyl-5'-yl; and X is one-selected from the group of the groups represented by Formulas (2-1), (2-2), (2-4) and (2-5) shown below:

where in Formulas (2-1), (2-2), (2-4) and (2-5), R<sup>12</sup> is hydrogen; and Ar is independently one selected from the group of groups represented by Formulas (4-1) to (4-10) and (4-14) to (4-16) shown below:

$$(4-1) \qquad (4-2) \qquad (4-3) \qquad (4-4)$$

$$(4-5) \qquad (4-6) \qquad (4-7) \qquad (4-8)$$

$$(4-8) \qquad (4-10) \qquad (4-16)$$

## 7-9. (Cancelled)

10. (Currently amended) The organic electroluminescent device as described in claim 8 claim 1, wherein the emission layer comprises the perylene derivative as a dopant.

## 11. (Cancelled)

12. (Currently amended) The organic electroluminescent device as described in claim 8 claim 1, wherein the emission layer comprises the borane derivative as a dopant.

## 13. (Cancelled)

14. (Currently amended) The organic electroluminescent device as described in elaim 8 claim 1, wherein the emission layer comprises the coumarin derivative as a dopant.

- 15. (Cancelled)
- 16. (Currently amended) The organic electroluminescent device as described in claim 8 claim 1, wherein the emission layer comprises the pyran derivative as a dopant.
- 17. (Cancelled)
- 18. (Currently amended) The organic electroluminescent device as described in claim 8 claim 1, wherein the emission layer comprises the iridium complex as a dopant.
- 19. (Cancelled)
- 20. (Currently amended) The organic electroluminescent device as described in claim 8 claim 1, wherein the emission layer comprises the platinum complex as a dopant.